



ELSEVIER

Author index

- Abdallah, M., see Gabriel, A. (98) 153
Aloj, L., see de Bartolomeis, A. (98) 124
Ambsi-Impiombato, A., see de Bartolomeis, A. (98) 124
Asaba, Y., see Kuramochi, Yu. (98) 81
Askham, J.M., see Morrison, E.E. (98) 145

Barker, J.L., see Zhang, L. (98) 58
Barnes, S., see Pinaud, R. (98) 93
Barone, P., see de Bartolomeis, A. (98) 124
Barreto, R.L., see Drescher, M.J. (98) 1
Bassetto, L., see Franceschini, D. (98) 29
Beisel, K.W., see Drescher, M.J. (98) 1
Beranova-Giorgianni, S., Pabst, M.J., Russell, T.M., Giorgianni, F., Goldowitz, D. and Desiderio, D.M.
Preliminary analysis of the mouse cerebellum proteome (98) 135
Biro, T., see Szabo, T. (98) 51
Blumberg, P.M., see Szabo, T. (98) 51
Bravi, D., see de Bartolomeis, A. (98) 124
Broide, R., see Franceschini, D. (98) 29
Businaro, R., Corvino, V., Concetta Geloso, M., De Santis, E., Fumagalli, L. and Michetti, F.
De novo expression of calretinin in trimethyltin-induced degeneration of developing rat hippocampus (98) 141

Caracò, C., see de Bartolomeis, A. (98) 124
Chang, Y.H., see Zhang, L. (98) 58
Chaturvedi, D., see Drescher, M.J. (98) 1
Cicirata, F., see Placantonakis, D. (98) 15
Concetta Geloso, M., see Businaro, R. (98) 141
Corvino, V., see Businaro, R. (98) 141
Currie, R.W., see Pinaud, R. (98) 93

de Bartolomeis, A., Aloj, L., Ambsi-Impiombato, A., Bravi, D., Caracò, C., Muscettola, G. and Barone, P.
Acute administration of antipsychotics modulates Homer striatal gene expression differentially (98) 124
De Biasi, M., see Franceschini, D. (98) 29
De Santis, E., see Businaro, R. (98) 141
Desiderio, D.M., see Beranova-Giorgianni, S. (98) 135
Drescher, D.G., see Drescher, M.J. (98) 1
Drescher, M.J., Barreto, R.L., Chaturvedi, D., Beisel, K.W., Hatfield, J.S., Khan, K.M. and Drescher, D.G.

- Expression of subunits for the cAMP-sensitive 'olfactory' cyclic nucleotide-gated ion channel in the cochlea: implications for signal transduction (98) 1
Emori, R., see Kuramochi, Yu. (98) 81

Franceschini, D., Paylor, R., Broide, R., Salas, R., Bassetto, L., Gotti, C. and De Biasi, M.
Absence of α 7-containing neuronal nicotinic acetylcholine receptors does not prevent nicotine-induced seizures (98) 29
Fumagalli, L., see Businaro, R. (98) 141

Gabriel, A., Abdallah, M., Yost, C.S., Winegar, B.D. and Kindler, C.H.
Localization of the tandem pore domain K⁺ channel KCNK5 (TASK-2) in the rat central nervous system (98) 153
Giorgianni, F., see Beranova-Giorgianni, S. (98) 135
Goldowitz, D., see Beranova-Giorgianni, S. (98) 135
Gonzalez, A.F., see Szabo, T. (98) 51
Gotti, C., see Franceschini, D. (98) 29
Griffith, W.H., see Han, S.-H. (98) 67

Han, S.-H., McCool, B.A., Murchison, D., Nahm, S.-S., Parrish, A.R. and Griffith, W.H.
Single-cell RT-PCR detects shifts in mRNA expression profiles of basal forebrain neurons during aging (98) 67
Hatfield, J.S., see Drescher, M.J. (98) 1
Hess, F.F., see Pinaud, R. (98) 93
Hirano, S., Wang, X. and Suzuki, S.T.
Restricted expression of protocadherin 2A in the developing mouse brain (98) 119
Hiratsuka, K., see Kuramochi, Yu. (98) 81
Hironaka, N., Yagi, T. and Niki, H.
Light-potentiation of acoustic startle response (ASR) and monoamine efflux related to fearfulness in Fyn-deficient mice (98) 102
Khan, K.M., see Drescher, M.J. (98) 1

Kindler, C.H., see Gabriel, A. (98) 153
Kitahara, M., see Kuramochi, Yu. (98) 81
Kondo, H., see Suzuki, I. (98) 41
Kuramochi, Yu., Takagi-Sakuma, M., Kitahara, M., Emori, R., Asaba, Y., Sakaguchi, R., Watanabe, T., Kuroda, J., Hiratsuka, K., Nagae, Y., Suga, T. and Yamada, J.
Characterization of mouse homolog of brain acyl-CoA hydrolase: molecular cloning and neuronal localization (98) 81
Kuroda, J., see Kuramochi, Yu. (98) 81

Li, B.S., see Zhang, L. (98) 58

Ma, W., see Zhang, L. (98) 58
Matsumura, T., see Nishizaki, T. (98) 130
McCool, B.A., see Han, S.-H. (98) 67
Michetti, F., see Businaro, R. (98) 141
Moncur, P.M., see Morrison, E.E. (98) 145
Moriyama, T., see Sakurada, T. (98) 111
Morrison, E.E., Moncur, P.M. and Askham, J.M.
EBI identifies sites of microtubule polymerisation during neurite development (98) 145
Murchison, D., see Han, S.-H. (98) 67
Muscettola, G., see de Bartolomeis, A. (98) 124

Nagae, Y., see Kuramochi, Yu. (98) 81
Nahm, S.-S., see Han, S.-H. (98) 67
Niki, H., see Hironaka, N. (98) 102
Nishizaki, T. and Matsumura, T.
The aniracetam metabolite 2-pyrrolidinone induces a long-term enhancement in AMPA receptor responses via a CaMKII pathway (98) 130

Okuda, K., see Sakurada, T. (98) 111
Owada, Y., see Suzuki, I. (98) 41

Pabst, M.J., see Beranova-Giorgianni, S. (98) 135
Palkovits, M., see Szabo, T. (98) 51
Parrish, A.R., see Han, S.-H. (98) 67
Paylor, R., see Franceschini, D. (98) 29
Penner, M.R., see Pinaud, R. (98) 93
Pinaud, R., Tremere, L.A., Penner, M.R., Hess, F.F., Barnes, S., Robertson, H.A. and Currie, R.W.



ELSEVIER

Author index

- Abdallah, M., see Gabriel, A. (98) 153
Aloj, L., see de Bartolomeis, A. (98) 124
Ambsi-Impiombato, A., see de Bartolomeis, A. (98) 124
Asaba, Y., see Kuramochi, Yu. (98) 81
Askham, J.M., see Morrison, E.E. (98) 145

Barker, J.L., see Zhang, L. (98) 58
Barnes, S., see Pinaud, R. (98) 93
Barone, P., see de Bartolomeis, A. (98) 124
Barreto, R.L., see Drescher, M.J. (98) 1
Bassetto, L., see Franceschini, D. (98) 29
Beisel, K.W., see Drescher, M.J. (98) 1
Beranova-Giorgianni, S., Pabst, M.J., Russell, T.M., Giorgianni, F., Goldowitz, D. and Desiderio, D.M.
Preliminary analysis of the mouse cerebellum proteome (98) 135
Biro, T., see Szabo, T. (98) 51
Blumberg, P.M., see Szabo, T. (98) 51
Bravi, D., see de Bartolomeis, A. (98) 124
Broide, R., see Franceschini, D. (98) 29
Businaro, R., Corvino, V., Concetta Geloso, M., De Santis, E., Fumagalli, L. and Michetti, F.
De novo expression of calretinin in trimethyltin-induced degeneration of developing rat hippocampus (98) 141

Caracò, C., see de Bartolomeis, A. (98) 124
Chang, Y.H., see Zhang, L. (98) 58
Chaturvedi, D., see Drescher, M.J. (98) 1
Cicirata, F., see Placantonakis, D. (98) 15
Concetta Geloso, M., see Businaro, R. (98) 141
Corvino, V., see Businaro, R. (98) 141
Currie, R.W., see Pinaud, R. (98) 93

de Bartolomeis, A., Aloj, L., Ambsi-Impiombato, A., Bravi, D., Caracò, C., Muscettola, G. and Barone, P.
Acute administration of antipsychotics modulates Homer striatal gene expression differentially (98) 124
De Biasi, M., see Franceschini, D. (98) 29
De Santis, E., see Businaro, R. (98) 141
Desiderio, D.M., see Beranova-Giorgianni, S. (98) 135
Drescher, D.G., see Drescher, M.J. (98) 1
Drescher, M.J., Barreto, R.L., Chaturvedi, D., Beisel, K.W., Hatfield, J.S., Khan, K.M. and Drescher, D.G.

- Expression of subunits for the cAMP-sensitive 'olfactory' cyclic nucleotide-gated ion channel in the cochlea: implications for signal transduction (98) 1

Emori, R., see Kuramochi, Yu. (98) 81

Franceschini, D., Paylor, R., Broide, R., Salas, R., Bassetto, L., Gotti, C. and De Biasi, M.
Absence of $\alpha 7$ -containing neuronal nicotinic acetylcholine receptors does not prevent nicotine-induced seizures (98) 29
Fumagalli, L., see Businaro, R. (98) 141

Gabriel, A., Abdallah, M., Yost, C.S., Winegar, B.D. and Kindler, C.H.
Localization of the tandem pore domain K⁺ channel KCNK5 (TASK-2) in the rat central nervous system (98) 153
Giorgianni, F., see Beranova-Giorgianni, S. (98) 135
Goldowitz, D., see Beranova-Giorgianni, S. (98) 135
Gonzalez, A.F., see Szabo, T. (98) 51
Gotti, C., see Franceschini, D. (98) 29
Griffith, W.H., see Han, S.-H. (98) 67

Han, S.-H., McCool, B.A., Murchison, D., Nahm, S.-S., Parrish, A.R. and Griffith, W.H.
Single-cell RT-PCR detects shifts in mRNA expression profiles of basal forebrain neurons during aging (98) 67
Hatfield, J.S., see Drescher, M.J. (98) 1
Hess, F.F., see Pinaud, R. (98) 93
Hirano, S., Wang, X. and Suzuki, S.T.
Restricted expression of protocadherin 2A in the developing mouse brain (98) 119
Hiratsuka, K., see Kuramochi, Yu. (98) 81
Hironaka, N., Yagi, T. and Niki, H.
Light-potentiation of acoustic startle response (ASR) and monoamine efflux related to fearfulness in Fyn-deficient mice (98) 102
Khan, K.M., see Drescher, M.J. (98) 1

Kindler, C.H., see Gabriel, A. (98) 153
Kitahara, M., see Kuramochi, Yu. (98) 81
Kondo, H., see Suzuki, I. (98) 41
Kuramochi, Yu., Takagi-Sakuma, M., Kitahara, M., Emori, R., Asaba, Y., Sakaguchi, R., Watanabe, T., Kuroda, J., Hiratsuka, K., Nagae, Y., Suga, T. and Yamada, J.
Characterization of mouse homolog of brain acyl-CoA hydrolase: molecular cloning and neuronal localization (98) 81
Kuroda, J., see Kuramochi, Yu. (98) 81

Li, B.S., see Zhang, L. (98) 58

Ma, W., see Zhang, L. (98) 58
Matsumura, T., see Nishizaki, T. (98) 130
McCool, B.A., see Han, S.-H. (98) 67
Michetti, F., see Businaro, R. (98) 141
Moncur, P.M., see Morrison, E.E. (98) 145
Moriyama, T., see Sakurada, T. (98) 111
Morrison, E.E., Moncur, P.M. and Askham, J.M.
EBI identifies sites of microtubule polymerisation during neurite development (98) 145
Murchison, D., see Han, S.-H. (98) 67
Muscettola, G., see de Bartolomeis, A. (98) 124

Nagae, Y., see Kuramochi, Yu. (98) 81
Nahm, S.-S., see Han, S.-H. (98) 67
Niki, H., see Hironaka, N. (98) 102
Nishizaki, T. and Matsumura, T.
The aniracetam metabolite 2-pyrrolidinone induces a long-term enhancement in AMPA receptor responses via a CaMKII pathway (98) 130

Okuda, K., see Sakurada, T. (98) 111
Owada, Y., see Suzuki, I. (98) 41

Pabst, M.J., see Beranova-Giorgianni, S. (98) 135
Palkovits, M., see Szabo, T. (98) 51
Parrish, A.R., see Han, S.-H. (98) 67
Paylor, R., see Franceschini, D. (98) 29
Penner, M.R., see Pinaud, R. (98) 93
Pinaud, R., Tremere, L.A., Penner, M.R., Hess, F.F., Barnes, S., Robertson, H.A. and Currie, R.W.

- Plasticity-driven gene expression in the rat retina (98) 93
Placantonakis, D., Cicirata, F. and Welsh, J.P.
A dominant negative mutation of neuronal connexin 36 that blocks intercellular permeability (98) 15
- Robertson, H.A., see Pinaud, R. (98) 93
Rubinow, D.R., see Zhang, L. (98) 58
Russell, T.M., see Beranova-Giorgianni, S. (98) 135
- Sakaguchi, R., see Kuramochi, Yu. (98) 81
Sakurada, C., see Sakurada, T. (98) 111
Sakurada, S., see Sakurada, T. (98) 111
Sakurada, T., Watanabe, C., Okuda, K., Sugiyama, A., Moriyama, T., Sakurada, C., Tan-No, K. and Sakurada, S.
Intrathecal high-dose morphine induces spinally-mediated behavioral responses through NMDA receptors (98) 111
Salas, R., see Franceschini, D. (98) 29
- Suga, T., see Kuramochi, Yu. (98) 81
Sugiyama, A., see Sakurada, T. (98) 111
Suzuki, I., Owada, Y., Suzuki, R., Yoshimoto, T. and Kondo, H.
Localization of mRNAs for subfamily of guanine nucleotide-exchange proteins (GEP) for ARFs (ADP-ribosylation factors) in the brain of developing and mature rats under normal and postaxotomy conditions (98) 41
Suzuki, R., see Suzuki, I. (98) 41
Suzuki, S.T., see Hirano, S. (98) 119
Szabo, T., Biro, T., Gonzalez, A.F., Palkovits, M. and Blumberg, P.M.
Pharmacological characterization of vanilloid receptor located in the brain (98) 51
- Takagi-Sakuma, M., see Kuramochi, Yu. (98) 81
Tan-No, K., see Sakurada, T. (98) 111
Tremere, L.A., see Pinaud, R. (98) 93
- Wang, X., see Hirano, S. (98) 119
Watanabe, C., see Sakurada, T. (98) 111
Watanabe, T., see Kuramochi, Yu. (98) 81
Welsh, J.P., see Placantonakis, D. (98) 15
Winegar, B.D., see Gabriel, A. (98) 153
- Yagi, T., see Hironaka, N. (98) 102
Yamada, J., see Kuramochi, Yu. (98) 81
Yoshimoto, T., see Suzuki, I. (98) 41
Yost, C.S., see Gabriel, A. (98) 153
- Zhang, L., Li, B.S., Ma, W., Barker, J.L., Chang, Y.H., Zhao, W. and Rubinow, D.R.
Dehydroepiandrosterone (DHEA) and its sulfated derivative (DHEAS) regulate apoptosis during neurogenesis by triggering the Akt signaling pathway in opposing ways (98) 58
Zhao, W., see Zhang, L. (98) 58